

【アルミニウム及びその合金の陽極酸化処理性】

合金番号	陽極酸化処理の目的			
	防食	染色	光輝	耐磨耗性
1080	A	A	A	A
1070	A	A	A	A
1050	A	A	A	A
1100	A	A	A	A
2011	C	C	D	C
2014	C	C	D	C
2017	C	C	D	C
2024	C	C	D	C
3003	A	B	C	A
3004	A	B	C	A
4043	B	B	D	B
5005	A	A	B	A
5052	A	A	B	A
5056	A	A	C	A
5083	A	A	C	A
5N01	A	A	A	A
6061	A	A	C	A
6063	A	A	B	A
6N01	A	A	C	A
7075	B	B	C	B
7N01	B	B	C	B
AC1B	C	C	D	C
AC2A	C	D	D	C
AC3A	B	D	D	B
AC4B	C	D	D	C
AC4C	B	D	D	C
AC5A	C	C	D	C
AC7A	A	A	B	A
AC8A	C	D	D	C
AC9A	C	D	D	C
ADC1	C	D	D	C
ADC3	B	D	D	B
ADC5	A	A	B	A
ADC6	A	B	B	A
ADC10	C	D	D	C
ADC12	C	D	D	C

A:優、B:良、C:可、D:困難